

Material: Aluminum Alloy Method: Gravity casting

Handle: Brass & Stainless Steel

Gasket: NBR

Safety pin: Steel

Thread: ISO228(BSP)/ISO7(BSPT)/ANSI B1.20(NPT) Standard: MIL A-A-59326/EN14420-7(DIN2828)

STYLE
TYPE A



MALE ADAPTER
X
FEMALE THREAD

SIZE	CODE
1/2"(DN15)	A050-AL
3/4"(DN20)	A075-AL
1"(DN25)	A100-AL
1-1/4"(DN32)	A125-AL
1-1/2"(DN40)	A150-AL
2"(DN50)	A200-AL
2-1/2"(DN65)	A250-AL
3"(DN80)	A300-AL
4"(DN100)	A400-AL
5"(DN125)	A500-AL
6"(DN150)	A600-AL
8"(DN200)	A800-AL

STYLE
TYPE E



MALE ADAPTER
X
HOSE SHANK

SIZE	CODE
1/2"(DN15)	E050-AL
3/4"(DN20)	E075-AL
1"(DN25)	E100-AL
1-1/4"(DN32)	E125-AL
1-1/2"(DN40)	E150-AL
2"(DN50)	E200-AL
2-1/2"(DN65)	E250-AL
3"(DN80)	E300-AL
4"(DN100)	E400-AL
5"(DN125)	E500-AL
6"(DN150)	E600-AL
8"(DN200)	E800-AL

STYLE
TYPE B



FEMALE COUPLER
X
MALE THREAD

SIZE	CODE
1/2"(DN15)	B050-AL
3/4"(DN20)	B075-AL
1"(DN25)	B100-AL
1-1/4"(DN32)	B125-AL
1-1/2"(DN40)	B150-AL
2"(DN50)	B200-AL
2-1/2"(DN65)	B250-AL
3"(DN80)	B300-AL
4"(DN100)	B400-AL
5"(DN125)	B500-AL
6"(DN150)	B600-AL
8"(DN200)	B800-AL

STYLE
TYPE F



MALE ADAPTER
X
MALE THREAD

SIZE	CODE
1/2"(DN15)	F050-AL
3/4"(DN20)	F075-AL
1"(DN25)	F100-AL
1-1/4"(DN32)	F125-AL
1-1/2"(DN40)	F150-AL
2"(DN50)	F200-AL
2-1/2"(DN65)	F250-AL
3"(DN80)	F300-AL
4"(DN100)	F400-AL
5"(DN125)	F500-AL
6"(DN150)	F600-AL
8"(DN200)	F800-AL

STYLE
TYPE C



FEMALE COUPLER
X
HOSE SHANK

SIZE	CODE
1/2"(DN15)	C050-AL
3/4"(DN20)	C075-AL
1"(DN25)	C100-AL
1-1/4"(DN32)	C125-AL
1-1/2"(DN40)	C150-AL
2"(DN50)	C200-AL
2-1/2"(DN65)	C250-AL
3"(DN80)	C300-AL
4"(DN100)	C400-AL
5"(DN125)	C500-AL
6"(DN150)	C600-AL
8"(DN200)	C800-AL

STYLE
TYPE DC



DUST CAP

SIZE	CODE
1/2"(DN15)	DC050-AL
3/4"(DN20)	DC075-AL
1"(DN25)	DC100-AL
1-1/4"(DN32)	DC125-AL
1-1/2"(DN40)	DC150-AL
2"(DN50)	DC200-AL
2-1/2"(DN65)	DC250-AL
3"(DN80)	DC300-AL
4"(DN100)	DC400-AL
5"(DN125)	DC500-AL
6"(DN150)	DC600-AL
8"(DN200)	DC800-AL

STYLE
TYPE D



FEMALE COUPLER
X
FEMALE THREAD

SIZE	CODE
1/2"(DN15)	D050-AL
3/4"(DN20)	D075-AL
1"(DN25)	D100-AL
1-1/4"(DN32)	D125-AL
1-1/2"(DN40)	D150-AL
2"(DN50)	D200-AL
2-1/2"(DN65)	D250-AL
3"(DN80)	D300-AL
4"(DN100)	D400-AL
5"(DN125)	D500-AL
6"(DN150)	D600-AL
8"(DN200)	D800-AL

STYLE
TYPE DP



DUST PLUG

SIZE	CODE
1/2"(DN15)	DP050-AL
3/4"(DN20)	DP075-AL
1"(DN25)	DP100-AL
1-1/4"(DN32)	DP125-AL
1-1/2"(DN40)	DP150-AL
2"(DN50)	DP200-AL
2-1/2"(DN65)	DP250-AL
3"(DN80)	DP300-AL
4"(DN100)	DP400-AL
5"(DN125)	DP500-AL
6"(DN150)	DP600-AL
8"(DN200)	DP800-AL

Material: Stainless steel Method: Investment Casting
 Surface Finish : Shotting Handle: Stainless Steel
 Gasket: NBR Safety pin: Stainless Steel
 Thread: ISO228(BSP)/ISO7(BSPT)/ANSI B1.20(NPT) Standard: MIL A-A-59326/EN14420-7(DIN2828)



SIZE	CODE
1/2"(DN15)	A050-304&A050-316
3/4"(DN20)	A075-304&A075-316
1"(DN25)	A100-304&A100-316
1-1/4"(DN32)	A125-304&A125-316
1-1/2"(DN40)	A150-304&A150-316
2"(DN50)	A200-304&A200-316
2-1/2"(DN65)	A250-304&A250-316
3"(DN80)	A300-304&A300-316
4"(DN100)	A400-304&A400-316
5"(DN125)	A500-304&A500-316
6"(DN150)	A600-304&A600-316




SIZE	CODE
1/2"(DN15)	E050-304&E050-316
3/4"(DN20)	E075-304&E075-316
1"(DN25)	E100-304&E100-316
1-1/4"(DN32)	E125-304&E125-316
1-1/2"(DN40)	E150-304&E150-316
2"(DN50)	E200-304&E200-316
2-1/2"(DN65)	E250-304&E250-316
3"(DN80)	E300-304&E300-316
4"(DN100)	E400-304&E400-316
5"(DN125)	E500-304&E500-316
6"(DN150)	E600-304&E600-316



SIZE	CODE
1/2"(DN15)	B050-304&B050-316
3/4"(DN20)	B075-304&B075-316
1"(DN25)	B100-304&B100-316
1-1/4"(DN32)	B125-304&B125-316
1-1/2"(DN40)	B150-304&B150-316
2"(DN50)	B200-304&B200-316
2-1/2"(DN65)	B250-304&B250-316
3"(DN80)	B300-304&B300-316
4"(DN100)	B400-304&B400-316
5"(DN125)	B500-304&B500-316
6"(DN150)	B600-304&B600-316



SIZE	CODE
1/2"(DN15)	F050-304&F050-316
3/4"(DN20)	F075-304&F075-316
1"(DN25)	F100-304&F100-316
1-1/4"(DN32)	F125-304&F125-316
1-1/2"(DN40)	F150-304&F150-316
2"(DN50)	F200-304&F200-316
2-1/2"(DN65)	F250-304&F250-316
3"(DN80)	F300-304&F300-316
4"(DN100)	F400-304&F400-316
5"(DN125)	F500-304&F500-316
6"(DN150)	F600-304&F600-316



SIZE	CODE
1/2"(DN15)	C050-304&C050-316
3/4"(DN20)	C075-304&C075-316
1"(DN25)	C100-304&C100-316
1-1/4"(DN32)	C125-304&C125-316
1-1/2"(DN40)	C150-304&C150-316
2"(DN50)	C200-304&C200-316
2-1/2"(DN65)	C250-304&C250-316
3"(DN80)	C300-304&C300-316
4"(DN100)	C400-304&C400-316
5"(DN125)	C500-304&C500-316
6"(DN150)	C600-304&C600-316



SIZE	CODE
1/2"(DN15)	DC050-304&DC050-316
3/4"(DN20)	DC075-304&DC075-316
1"(DN25)	DC100-304&DC100-316
1-1/4"(DN32)	DC125-304&DC125-316
1-1/2"(DN40)	DC150-304&DC150-316
2"(DN50)	DC200-304&DC200-316
2-1/2"(DN65)	DC250-304&DC250-316
3"(DN80)	DC300-304&DC300-316
4"(DN100)	DC400-304&DC400-316
5"(DN125)	DC500-304&DC500-316
6"(DN150)	DC600-304&DC600-316



SIZE	CODE
1/2"(DN15)	D050-304&D050-316
3/4"(DN20)	D075-304&D075-316
1"(DN25)	D100-304&D100-316
1-1/4"(DN32)	D125-304&D125-316
1-1/2"(DN40)	D150-304&D150-316
2"(DN50)	D200-304&D200-316
2-1/2"(DN65)	D250-304&D250-316
3"(DN80)	D300-304&D300-316
4"(DN100)	D400-304&D400-316
5"(DN125)	D500-304&D500-316
6"(DN150)	D600-304&D600-316



SIZE	CODE
1/2"(DN15)	DP050-304&DP050-316
3/4"(DN20)	DP075-304&DP075-316
1"(DN25)	DP100-304&DP100-316
1-1/4"(DN32)	DP125-304&DP125-316
1-1/2"(DN40)	DP150-304&DP150-316
2"(DN50)	DP200-304&DP200-316
2-1/2"(DN65)	DP250-304&DP250-316
3"(DN80)	DP300-304&DP300-316
4"(DN100)	DP400-304&DP400-316
5"(DN125)	DP500-304&DP500-316
6"(DN150)	DP600-304&DP600-316

Material: Brass Method: Forging

Handle: Brass

Gasket: NBR

Safety pin: Steel

Thread: ISO228(BSP)/ISO7(BSPT)/ANSI B1.20(NPT) Standard: MIL A-A-59326/EN14420-7(DIN2828)

STYLE
TYPE A



MALE ADAPTER
X
FEMALE THREAD

SIZE	CODE
1/2"(DN15)	A050-BR
3/4"(DN20)	A075-BR
1"(DN25)	A100-BR
1-1/4"(DN32)	A125-BR
1-1/2"(DN40)	A150-BR
2"(DN50)	A200-BR
2-1/2"(DN65)	A250-BR
3"(DN80)	A300-BR
4"(DN100)	A400-BR
5"(DN125)	A500-BR
6"(DN150)	A600-BR

STYLE
TYPE E



MALE ADAPTER
X
HOSE SHANK

SIZE	CODE
1/2"(DN15)	E050-BR
3/4"(DN20)	E075-BR
1"(DN25)	E100-BR
1-1/4"(DN32)	E125-BR
1-1/2"(DN40)	E150-BR
2"(DN50)	E200-BR
2-1/2"(DN65)	E250-BR
3"(DN80)	E300-BR
4"(DN100)	E400-BR
5"(DN125)	E500-BR
6"(DN150)	E600-BR

STYLE
TYPE B



FEMALE COUPLER
X
MALE THREAD

SIZE	CODE
1/2"(DN15)	B050-BR
3/4"(DN20)	B075-BR
1"(DN25)	B100-BR
1-1/4"(DN32)	B125-BR
1-1/2"(DN40)	B150-BR
2"(DN50)	B200-BR
2-1/2"(DN65)	B250-BR
3"(DN80)	B300-BR
4"(DN100)	B400-BR
5"(DN125)	B500-BR
6"(DN150)	B600-BR

STYLE
TYPE F



MALE ADAPTER
X
MALE THREAD

SIZE	CODE
1/2"(DN15)	F050-BR
3/4"(DN20)	F075-BR
1"(DN25)	F100-BR
1-1/4"(DN32)	F125-BR
1-1/2"(DN40)	F150-BR
2"(DN50)	F200-BR
2-1/2"(DN65)	F250-BR
3"(DN80)	F300-BR
4"(DN100)	F400-BR
5"(DN125)	F500-BR
6"(DN150)	F600-BR

STYLE
TYPE C



FEMALE COUPLER
X
HOSE SHANK

SIZE	CODE
1/2"(DN15)	C050-BR
3/4"(DN20)	C075-BR
1"(DN25)	C100-BR
1-1/4"(DN32)	C125-BR
1-1/2"(DN40)	C150-BR
2"(DN50)	C200-BR
2-1/2"(DN65)	C250-BR
3"(DN80)	C300-BR
4"(DN100)	C400-BR
5"(DN125)	C500-BR
6"(DN150)	C600-BR

STYLE
TYPE DC



DUST CAP

SIZE	CODE
1/2"(DN15)	DC050-BR
3/4"(DN20)	DC075-BR
1"(DN25)	DC100-BR
1-1/4"(DN32)	DC125-BR
1-1/2"(DN40)	DC150-BR
2"(DN50)	DC200-BR
2-1/2"(DN65)	DC250-BR
3"(DN80)	DC300-BR
4"(DN100)	DC400-BR
5"(DN125)	DC500-BR
6"(DN150)	DC600-BR

STYLE
TYPE D



FEMALE COUPLER
X
FEMALE THREAD

SIZE	CODE
1/2"(DN15)	D050-BR
3/4"(DN20)	D075-BR
1"(DN25)	D100-BR
1-1/4"(DN32)	D125-BR
1-1/2"(DN40)	D150-BR
2"(DN50)	D200-BR
2-1/2"(DN65)	D250-BR
3"(DN80)	D300-BR
4"(DN100)	D400-BR
5"(DN125)	D500-BR
6"(DN150)	D600-BR

STYLE
TYPE DP



DUST PLUG

SIZE	CODE
1/2"(DN15)	DP050-BR
3/4"(DN20)	DP075-BR
1"(DN25)	DP100-BR
1-1/4"(DN32)	DP125-BR
1-1/2"(DN40)	DP150-BR
2"(DN50)	DP200-BR
2-1/2"(DN65)	DP250-BR
3"(DN80)	DP300-BR
4"(DN100)	DP400-BR
5"(DN125)	DP500-BR
6"(DN150)	DP600-BR

Material: PP&Nylon
 Handle: POM & Stainless steel
 Gasket: EPDM Safety pin: Steel
 Thread: ISO228(BSP)/ISO7(BSPT)/ANSI B1.20(NPT)

STYLE
TYPE A



MALE ADAPTER
X
FEMALE THREAD

SIZE	CODE
1/2"(DN15)	A050-PP&A050-NY
3/4"(DN20)	A075-PP&A075-NY
1"(DN25)	A100-PP&A100-NY
1-1/4"(DN32)	A125-PP&A125-NY
1-1/2"(DN40)	A150-PP&A150-NY
2"(DN50)	A200-PP&A200-NY
2-1/2"(DN65)	A250-PP&A250-NY
3"(DN80)	A300-PP&A300-NY
4"(DN100)	A400-PP&A400-NY

STYLE
TYPE E



MALE ADAPTER
X
HOSE SHANK

SIZE	CODE
1/2"(DN15)	E050-PP&E050-NY
3/4"(DN20)	E075-PP&E075-NY
1"(DN25)	E100-PP&E100-NY
1-1/4"(DN32)	E125-PP&E125-NY
1-1/2"(DN40)	E150-PP&E150-NY
2"(DN50)	E200-PP&E200-NY
2-1/2"(DN65)	E250-PP&E250-NY
3"(DN80)	E300-PP&E300-NY
4"(DN100)	E400-PP&E400-NY

STYLE
TYPE B



FEMALE COUPLER
X
MALE THREAD

SIZE	CODE
1/2"(DN15)	B050-PP&B050-NY
3/4"(DN20)	B075-PP&B075-NY
1"(DN25)	B100-PP&B100-NY
1-1/4"(DN32)	B125-PP&B125-NY
1-1/2"(DN40)	B150-PP&B150-NY
2"(DN50)	B200-PP&B200-NY
2-1/2"(DN65)	B250-PP&B250-NY
3"(DN80)	B300-PP&B300-NY
4"(DN100)	B400-PP&B400-NY

STYLE
TYPE F



MALE ADAPTER
X
MALE THREAD

SIZE	CODE
1/2"(DN15)	F050-PP&F050-NY
3/4"(DN20)	F075-PP&F075-NY
1"(DN25)	F100-PP&F100-NY
1-1/4"(DN32)	F125-PP&F125-NY
1-1/2"(DN40)	F150-PP&F150-NY
2"(DN50)	F200-PP&F200-NY
2-1/2"(DN65)	F250-PP&F250-NY
3"(DN80)	F300-PP&F300-NY
4"(DN100)	F400-PP&F400-NY

STYLE
TYPE C



FEMALE COUPLER
X
HOSE SHANK

SIZE	CODE
1/2"(DN15)	C050-PP&C050-NY
3/4"(DN20)	C075-PP&C075-NY
1"(DN25)	C100-PP&C100-NY
1-1/4"(DN32)	C125-PP&C125-NY
1-1/2"(DN40)	C150-PP&C150-NY
2"(DN50)	C200-PP&C200-NY
2-1/2"(DN65)	C250-PP&C250-NY
3"(DN80)	C300-PP&C300-NY
4"(DN100)	C400-PP&C400-NY

STYLE
TYPE DC



DUST CAP

SIZE	CODE
1/2"(DN15)	DC050-PP&DC050-NY
3/4"(DN20)	DC075-PP&DC075-NY
1"(DN25)	DC100-PP&DC100-NY
1-1/4"(DN32)	DC125-PP&DC125-NY
1-1/2"(DN40)	DC150-PP&DC150-NY
2"(DN50)	DC200-PP&DC200-NY
2-1/2"(DN65)	DC250-PP&DC250-NY
3"(DN80)	DC300-PP&DC300-NY
4"(DN100)	DC400-PP&DC400-NY

STYLE
TYPE D



FEMALE COUPLER
X
FEMALE THREAD

SIZE	CODE
1/2"(DN15)	D050-PP&D050-NY
3/4"(DN20)	D075-PP&D075-NY
1"(DN25)	D100-PP&D100-NY
1-1/4"(DN32)	D125-PP&D125-NY
1-1/2"(DN40)	D150-PP&D150-NY
2"(DN50)	D200-PP&D200-NY
2-1/2"(DN65)	D250-PP&D250-NY
3"(DN80)	D300-PP&D300-NY
4"(DN100)	D400-PP&D400-NY

STYLE
TYPE DP



DUST PLUG

SIZE	CODE
1/2"(DN15)	DP050-PP&DP050-NY
3/4"(DN20)	DP075-PP&DP075-NY
1"(DN25)	DP100-PP&DP100-NY
1-1/4"(DN32)	DP125-PP&DP125-NY
1-1/2"(DN40)	DP150-PP&DP150-NY
2"(DN50)	DP200-PP&DP200-NY
2-1/2"(DN65)	DP250-PP&DP250-NY
3"(DN80)	DP300-PP&DP300-NY
4"(DN100)	DP400-PP&DP400-NY

Material: Aluminum Alloy/Stainless steel
 Handle: Brass & Stainless Steel
 Gasket:NBR Safety pin: Steel
 Thread:ISO228(BSP)/ISO7(BSPT)/ANSI B1.20(NPT)



SIZE	CODE
2"×1-1/2"	AR2015AL
2"×3"	AR2030AL
3"×2"	AR3020AL
3"×4"	AR3040AL
4"×3"	AR4030AL
4"×6"	AR4060AL
6"×4"	AR6040AL



SIZE	CODE
1-1/2"×1"	ER1510AL
2"×1-1/2"	ER2015AL
2"×3"	ER2030AL
3"×2"	ER3020AL
3"×4"	ER3040AL
4"×2"	ER4020AL
4"×3"	ER4030AL



SIZE	CODE
1-1/2"×1"	BR1510AL
2"×1-1/2"	BR2015AL
3"×2"	BR3020AL
3"×4"	BR3040AL
4"×3"	BR4030AL



SIZE	CODE
2"×1-1/2"	FR2015AL
3"×1-1/2"	FR3015AL
3"×2"	FR3020AL
3"×4"	FR3040AL



SIZE	CODE
2"×1-1/2"	CR2015AL
2-1/2"×1-1/2"	CR2515AL
3"×2"	CR3020AL
3"×4"	CR3040AL
4"×3"	CR4030AL



SIZE	CODE
1"	SA100AL
1-1/4"	SA125AL
1-1/2"	SA150AL
1-1/2"×2"	SA1520AL
2"	SA200AL
2-1/2"	SA250AL
2"×2-1/2"	SA2025AL
2"×3"	SA2030AL
3"×4"	SA3040AL
3"	SA300AL
4"	SA400AL
4"×6"	SA4060AL
6"	SA600AL



SIZE	CODE
1-1/2"×1"	DR1510AL
2"×1-1/2"	DR2015AL
3"×2"	DR3020AL
4"×3"	DR4030AL



SIZE	CODE
1-1/2"×1"	DA1510AL
1-1/2"×2"	DA1520AL
2"×1-1/2"	DA2015AL
2"×3"	DA2030AL
2"×4"	DA2040AL
2-1/2"×2"	DA2520AL
3"×1-1/2"	DA3015AL
3"×2"	DA3020AL
3"×2-1/2"	DA3025AL
3"×4"	DA3040AL
4"×2"	DA4020AL
4"×3"	DA4030AL
4"×6"	DA4060AL
6"×4"	DA6040AL

DIN2828 Coupling

Material: Aluminum

STYLE



DIN2828 Type A

SIZE

CODE

1/2"(DN15)	DIN-A050
3/4"(DN20)	DIN-A075
1"(DN25)	DIN-A100
1-1/4"(DN32)	DIN-A125
1-1/2"(DN40)	DIN-A150
2"(DN50)	DIN-A200
2-1/2"(DN65)	DIN-A250
3"(DN80)	DIN-A300
4"(DN100)	DIN-A400

STYLE



DIN2828 Type C

SIZE

CODE

1/2"(DN15)	DIN-C050
3/4"(DN20)	DIN-C075
1"(DN25)	DIN-C100
1-1/4"(DN32)	DIN-C125
1-1/2"(DN40)	DIN-C150
2"(DN50)	DIN-C200
2-1/2"(DN65)	DIN-C250
3"(DN80)	DIN-C300
4"(DN100)	DIN-C400

STYLE



DIN2828 Type D

SIZE

CODE

1/2"(DN15)	DIN-D050
3/4"(DN20)	DIN-D075
1"(DN25)	DIN-D100
1-1/4"(DN32)	DIN-D125
1-1/2"(DN40)	DIN-D150
2"(DN50)	DIN-D200
2-1/2"(DN65)	DIN-D250
3"(DN80)	DIN-D300
4"(DN100)	DIN-D400

STYLE



DIN2828 Type E

SIZE

CODE

1/2"(DN15)	DIN-E050
3/4"(DN20)	DIN-E075
1"(DN25)	DIN-E100
1-1/4"(DN32)	DIN-E125
1-1/2"(DN40)	DIN-E150
2"(DN50)	DIN-E200
2-1/2"(DN65)	DIN-E250
3"(DN80)	DIN-E300
4"(DN100)	DIN-E400

STYLE



Hose Mender

Material: Steel/Stainless steel

SIZE	CODE
1/2"	HM-50
3/4"	HM-75
1"	HM-100
1-1/4"	HM-125
1-1/2"	HM-150
2"	HM-200
2-1/2"	HM-250
3"	HM-300
4"	HM-400
5"	HM-500
6"	HM-600
8"	HM-800

STYLE



Combination Nipple
(KC Nipple)

Material: Steel/Stainless steel

SIZE	CODE
1/2"	KC-50
3/4"	KC-75
1"	KC-100
1-1/4"	KC-125
1-1/2"	KC-150
2"	KC-200
2-1/2"	KC-250
3"	KC-300
4"	KC-400
5"	KC-500
6"	KC-600
8"	KC-800

STYLE



Hexagonal Combination Nipple
(Hex KC Nipple)

Material: Steel/Stainless steel

SIZE	CODE
1/2"	HKC-50
3/4"	HKC-75
1"	HKC-100
1-1/4"	HKC-125
1-1/2"	HKC-150
2"	HKC-200
2-1/2"	HKC-250
3"	HKC-300
4"	HKC-400

STYLE



Safety Cable

Safety Cable Hose To Hose

SIZE	CODE
1/8"***20-1/4"	SCHTH20
1/4"***38"	SCHTH38

Safety Cable Hose To Hose

SIZE	CODE
1/8"***20-1/4"	SCHTH20
1/4"***38"	SCHTH38

STYLE



Short Shank

Safety Cable Hose To Hose

SIZE	CODE
1-1/2"	SS-150
2"	SS-200
2-1/2"	SS-250
3"	SS-300
4"	SS-400
5"	SS-500
6"	SS-600

Material: Brass, Stainless steel
Standard: EN14420-6/DIN28450



BRASS MK

SIZE	CODE
2"	MK50BR
3"	MK80BR
4"	MK100BR



SS316 MK

SIZE	CODE
2"	MK50SS
3"	MK80SS
4"	MK100SS



BRASS VK

SIZE	CODE
2"	VK50BR
3"	VK80BR
4"	VK100BR



SS316 VK

SIZE	CODE
2"	VK50SS
3"	VK80SS
4"	VK100SS



BRASS MB CAP

SIZE	CODE
2"	MB50BR
3"	MB80BR
4"	MB100BR



SS316 MB CAP

SIZE	CODE
2"	MB50SS
3"	MB80SS
4"	MB100SS



BRASS VB PLUG

SIZE	CODE
2"	VB50BR
3"	VB80BR
4"	VB100BR



SS316 VB PLUG

SIZE	CODE
2"	VB50SS
3"	VB80SS
4"	VB100SS

Material: Malleable iron, Carbon steel
 Surface Finish: Zinc-Plated(White or Gold)
 Gasket: NBR
 Thread: ISO228(BSP)/ISO7(BSPT)/ANSI B1.20(NPT)

STYLE
EURO TYPE



UNIVERSAL COUPLING
FEMALE END

SIZE	CODE
1/4"	FE-025-E
3/8"	FE-040-E
1/2"	FE-050-E
3/4"	FE-075-E
1"	FE-100-E
1-1/4"	FE-125-E

STYLE
US TYPE



UNIVERSAL COUPLING
FEMALE END

SIZE	CODE
1/4"	FE-025-U
3/8"	FE-040-U
1/2"	FE-050-U
3/4"	FE-075-U
1"	FE-100-U
1-1/4"	FE-125-U
1-1/2"	FE-150-U
2"	FE-200-U

STYLE
EURO TYPE



UNIVERSAL COUPLING
MALE END

SIZE	CODE
1/4"	ME-025-E
3/8"	ME-040-E
1/2"	ME-050-E
3/4"	ME-075-E
1"	ME-100-E
1-1/4"	ME-125-E

STYLE
US TYPE



UNIVERSAL COUPLING
MALE END

SIZE	CODE
1/4"	ME-025-U
3/8"	ME-040-U
1/2"	ME-050-U
3/4"	ME-075-U
1"	ME-100-U
1-1/4"	ME-125-U
1-1/2"	ME-150-U
2"	ME-200-U

STYLE
EURO TYPE



UNIVERSAL COUPLING
HOSE END

SIZE	CODE
1/4"	HE-025-E
3/8"	HE-040-E
1/2"	HE-050-E
3/4"	HE-075-E
1"	HE-100-E
1-1/4"	HE-125-E

STYLE
US TYPE



UNIVERSAL COUPLING
HOSE END

SIZE	CODE
1/4"	HE-025-U
3/8"	HE-040-U
1/2"	HE-050-U
3/4"	HE-075-U
1"	HE-100-U
1-1/4"	HE-125-U
1-1/2"	HE-150-U
2"	HE-200-U

STYLE



BLANK END

STYLE



TRIPLE CONNECTIONS

STYLE



GROUND JOINT

SIZE	CODE
1/2"	GJFS050
3/4"	GJFS075
1"	GJFS100
1-1/4"	GJFS125
1-1/2"	GJFS150
2"	GJFS200
2-1/2"	GJFS250
3"	GJFS300
4"	GJFS400

STYLE



SIZE	CODE
1/2"	IC050
3/4"	IC075
1"	IC100
1-1/4"	IC125
1-1/2"	IC150
2"	IC200

Material: Aluminum Alloy, Stainless Steel
Gasket: NBR
Thread: ISO228(BSP)/ISO7(BSPT)/ANSI B1.2(NPT)
Standard: EN14420-8

STYLE



GULLEMIN COUPLING WITH LOCK RING AND MULTI-SERRATED HOSE TAIL

SIZE CODE

1-1/2"(DN40)	GHL-150M-AL/SS
2"(DN50)	GHL-200M-AL/SS
2-1/2"(DN65)	GHL-250M-AL/SS
3"(DN80)	GHL-300M-AL/SS
4"(DN100)	GHL-400M-AL/SS

STYLE



GULLEMIN COUPLING WITH FEMALE BSP THREAD WITHOUT LOCKING RING

SIZE CODE

1-1/2"(DN40)	GF-150-AL/SS
2"(DN50)	GF-200-AL/SS
2-1/2"(DN65)	GF-250-AL/SS
3"(DN80)	GF-300-AL/SS
4"(DN100)	GF-400-AL/SS

STYLE



GULLEMIN COUPLING WITH LOCK RING AND MULTI-SERRATED SHORT HOSE TAIL

SIZE CODE

1-1/2"(DN40)	GHL-150L-AL/SS
2"(DN50)	GHL-200L-AL/SS
2-1/2"(DN65)	GHL-250L-AL/SS
3"(DN80)	GHL-300L-AL/SS
4"(DN100)	GHL-400L-AL/SS

STYLE



GULLEMIN COUPLING WITH LOCK RING AND MALE BSP THREAD

SIZE CODE

1-1/2"(DN40)	GML-150-AL/SS
2"(DN50)	GML-200-AL/SS
2-1/2"(DN65)	GML-250-AL/SS
3"(DN80)	GML-300-AL/SS
4"(DN100)	GML-400-AL/SS

STYLE



GULLEMIN COUPLING WITH LOCK RING AND MULTI-SERRATED LONG HOSE TAIL

SIZE CODE

1-1/2"(DN40)	GHL-150S-AL/SS
2"(DN50)	GHL-200S-AL/SS
2-1/2"(DN65)	GHL-250S-AL/SS
3"(DN80)	GHL-300S-AL/SS
4"(DN100)	GHL-400S-AL/SS

STYLE



GULLEMIN COUPLING WITH LOCK RING AND FEMALE BSP THREAD

SIZE CODE

1-1/2"(DN40)	GFL-150-AL/SS
2"(DN50)	GFL-200-AL/SS
2-1/2"(DN65)	GFL-250-AL/SS
3"(DN80)	GFL-300-AL/SS
4"(DN100)	GFL-400-AL/SS

STYLE



GULLEMIN COUPLING WITHOUT LOCK RING AND MALE BSP THREAD

SIZE CODE

1-1/2"(DN40)	GHL-150-AL/SS
2"(DN50)	GHL-200-AL/SS
2-1/2"(DN65)	GHL-250-AL/SS
3"(DN80)	GHL-300-AL/SS
4"(DN100)	GHL-400-AL/SS

STYLE



GULLEMIN COUPLING BLANK CAP WITH LOCK RING AND CHAIN

SIZE CODE

1-1/2"(DN40)	GBC-150-AL/SS
2"(DN50)	GBC-200-AL/SS
2-1/2"(DN65)	GBC-250-AL/SS
3"(DN80)	GBC-300-AL/SS
4"(DN100)	GBC-400-AL/SS



GASKET

SIZE	CODE
1-1/2"(DN40)	GCG-150-AL
2"(DN50)	GCG-200-AL
2-1/2"(DN65)	GCG-250-AL
3"(DN80)	GCG-300-AL
4"(DN100)	GCG-400-AL



NYLON SANDBLAST COUPLING

SIZE	CODE
39mm	SC-Q1-NY
50mm	SC-Q2-NY
55mm	SC-Q3-NY
39mm	SC-HE1-NY
50mm	SC-HE2-NY
55mm	SC-HE3-NY
39mm	SC-MHE1-NY
50mm	SC-MHE2-NY
55mm	SC-MHE3-NY
	SC-SB-NY



SANDBLAST COUPLING FEMALE END

SIZE	CODE
1-1/4"	SCFE125AL
1-1/2"	SCFE150AL
1-1/4"	SCFE125BR
1-1/2"	SCFE150BR



REDUCING TYPE GULLEMIN COUPLING

SIZE	CODE
1-1/4"x1"	GC-1210-AL
1-1/2"x1"	GC-1510-AL
1-1/2"x1-1/4"	GC-1512-AL
2"x1"	GC-2010-AL
2"x1-1/4"	GC-2012-AL
2"x1-1/2"	GC-2015-AL
2-1/2"x1-1/2"	GC-2515-AL
2-1/2"x2"	GC-2520-AL
3"x1-1/2"	GC-3015-AL
3"x2"	GC-3020-AL
3"x2-1/2"	GC-3025-AL
4"x1-1/2"	GC-4015-AL
4"x2"	GC-4020-AL
4"x2-1/2"	GC-4025-AL
4"x3"	GC-4030-AL
6"x4"	GC-6040-AL



SANDBLAST COUPLING HOSE END

SIZE	CODE
3/4"	SCHE075AL
1"	SCHE100AL
1-1/4"	SCHE125AL
Q1	SCHE150AL
Q2	SCHEQ1AL
Q3	SCHEQ2AL
Q4	SCHEQ3AL
3/4"	SCHEQ4AL
1"	SCHE075BR
1-1/4"	SCHE125BR
1-1/2"	SCHE150BR



SANDBLAST COUPLING NOZZLE HOLDER

SIZE	CODE
3/4"	SCNH075AL
1"	SCNH100AL
1-1/4"	SCNH125AL
1-1/2"	SCNH150AL
3/4"	SCNH075BR
1"	SCNH100BR
1-1/4"	SCNH125BR
1-1/2"	SCNH150BR

STYLE



FOOT VALVE

SIZE

1-1/2"	FV-150
2"	FV-200
2-1/2"	FV-250
3"	FV-300
4"	FV-400
6"	FV-600
8"	FV-800

CODE

STYLE



STORZ COUPLING
(MALE END)

SIZE

1"	GFM-100
1-1/2"	GFM-150
2"	GFM-200
2-1/2"	GFM-250
3"	GFM-300
4"	GFM-400
5"	GFM-500

CODE

STYLE



PVC LAYLAT HOSE

SIZE

1"	LF-100
1-1/2"	LF-150
2"	LF-200
2-1/2"	LF-250
3"	LF-300
4"	LF-400
5"	LF-500
6"	LF-600
8"	LF-800

CODE

STYLE



STORZ COUPLING
(HOSE END)

SIZE

1"	GFH-100
1-1/2"	GFH-150
2"	GFH-200
2-1/2"	GFH-250
3"	GFH-300
4"	GFH-400
5"	GFH-500

CODE

STYLE



STORZ COUPLING
(BLANK END)

SIZE

1"	GFB-100
1-1/2"	GFB-150
2"	GFB-200
2-1/2"	GFB-250
3"	GFB-300
4"	GFB-400
5"	GFB-500

CODE

STYLE



STORZ COUPLING
(FEMALE END)

SIZE

1"	GFF-100
1-1/2"	GFF-150
2"	GFF-200
2-1/2"	GFF-250
3"	GFF-300
4"	GFF-400
5"	GFF-500

CODE

STYLE	SIZE	CODE
	2"	BTC200-4
	3"	BTC300-4
	3-1/2"	BTC350-4
	4"	BTC400-4
	5"	BTC500-4
	6"	BTC600-4

BOTTOM LOADING

STYLE	SIZE	CODE
	2"	BTC200
	3"	BTC300
	3-1/2"	BTC350
	4"	BTC400
	5"	BTC500
	6"	BTC600

BAUER TYPE COUPLING

STYLE	SIZE	CODE
	2"	BTC200-1
	3"	BTC300-1
	3-1/2"	BTC350-1
	4"	BTC400-1
	5"	BTC500-1
	6"	BTC600-1

MALE

STYLE	SIZE	CODE
	2"	BTC200-2
	3"	BTC300-2
	3-1/2"	BTC350-2
	4"	BTC400-2
	5"	BTC500-2
	6"	BTC600-2

FEMALE

STYLE	SIZE	CODE
	2"	BTC200-3
	3"	BTC300-3
	3-1/2"	BTC350-3
	4"	BTC400-3
	5"	BTC500-3
	6"	BTC600-3

LEVER RING

STYLE	SIZE	CODE
	2"	BTC200-M
	3"	BTC300-M
	3-1/2"	BTC350-M
	4"	BTC400-M
	5"	BTC500-M
	6"	BTC600-M

BAUER TYPE COUPLING
WITH MALE THREAD

STYLE	SIZE	CODE
	2"	BTC200-FL
	3"	BTC300-FL
	4"	BTC400-FL
	5"	BTC500-FL
	6"	BTC600-FL

BAUER TYPE COUPLING
WITH FLANGE

STYLE	SIZE	CODE
	2"	BTC200-KC
	3"	BTC300-KC
	3-1/2"	BTC350-KC
	4"	BTC400-KC
	5"	BTC500-KC
	6"	BTC600-KC

BAUER TYPE COUPLING
WITH KING NIPPLES

STYLE	SIZE	CODE
	2"	BTC200-ST
	3"	BTC300-ST
	4"	BTC400-ST
	5"	BTC500-ST
	6"	BTC600-ST

BAUER TYPE COUPLING
WITH STRAINER



WEIL POINT

STYLE	SIZE	CODE
	600mm	WP600
	1000mm	WP1000



CAMLOCK GASKETS
BUNA-N

STYLE	SIZE	CODE
	1/2"	GLG-050
	3/4"	GLG-075
	1"	GLG-100
	1-1/4"	GLG-125
	1-1/2"	GLG-150
	2"	GLG-200
	2-1/2"	GLG-250
	3"	GLG-300
	4"	GLG-400
	5"	GLG-500
	6"	GLG-600
	8"	GLG-800



REPLACEMENT HANDLES
INCLUDING RING

STYLE	SIZE	BRASS	SS
		CODE	CODE
	1/2"~3/4"	BH075	SSH075
	1"	BH100	SSH100
	1-1/4"-2-1/2"	BH200	SSH200
	3"~5"	BH300	SSH300
	6"	BH600	SSH600

SIZE	ZINC
	CODE
1-1/4"~2-1/2"	ZC200
3"~5"	ZC400



CAMLOCK PINS

STYLE	SIZE	SS	STEEL
		CODE	CODE
	1/2"	HPSS-050	HPSS-050
	3/4"	HPSS-075	HPSS-075
	1"	HPSS-100	HPSS-100
	1-1/4"	HPSS-125	HPSS-125
	1-1/2"	HPSS-150	HPSS-150
	2"	HPSS-200	HPSS-200
	2-1/2"	HPSS-250	HPSS-250
	3"	HPSS-300	HPSS-300
	4"	HPSS-400	HPSS-400
	5"	HPSS-500	HPSS-500
	6"	HPSS-600	HPSS-600
	8"	HPSS-800	HPSS-800



SAFETY PIN

STYLE	SIZE	SS	Steel
		CODE	CODE
	1/2"~1"	SPSS100	SPS100
	1-1/4"-6"	SPSS200	SPS200



TIN STRAINER

STYLE	SIZE	CODE
	1"	BST-100
	1-1/2"	BST-150
	2"	BST-200
	2-1/2"	BST-250
	3"	BST-300
	4"	BST-400
	6"	BST-600
	8"	BST-800



STRAINER

STYLE	SIZE	CODE
	1"	BS-100
	1-1/2"	BS-150
	2"	BS-200
	2-1/2"	BS-250
	3"	BS-300
	4"	BS-400
	6"	BS-600
	8"	BS-800

STYLE



One Bolt Clamp
(Superior clamp)

SIZE CODE

17-190BC-17	OBC-17
20-220BC-20	OBC-20
23-250BC-23	OBC-23
26-38	OBC-26
29-31	OBC-29
32-35	OBC-32
36-39	OBC-36
40-43	OBC-40
44-47	OBC-44
48-51	OBC-48
52-55	OBC-52
56-59	OBC-56
60-63	OBC-60
64-67	OBC-64
68-73	OBC-68
74-79	OBC-74
80-85	OBC-80
86-91	OBC-86
92-97	OBC-92
98-103	OBC-98
104-112	OBC-104
113-121	OBC-113
122-130	OBC-122
131-139	OBC-131
140-148	OBC-140
149-161	OBC-149
162-174	OBC-162
175-187	OBC-175
188-200	OBC-188
201-213	OBC-201
214-226	OBC-214
227-239	OBC-227
240-252	OBC-240

STYLE



DOUBLE BOLT CLAMP

SIZE SIZE CODE

SL22	21/32"-7/8"	20~22
SL29	7/8"~1-9/64"	22~29
SL34	1-5/32"~1-11/32"	27~32
SL40	1-5/16"~1-19/32"	32~39
SL49	1-5/8"~1-5/16"	39~49
SL60	1-7/8"~2-3/8"	48~60
SL76	2-3/8"~3-7/16"	60~70
SL94	3-1/2"~4"	77~94
SL115	3-3/4"~4-1/2"	94~115
SL400	3-1/2"~4"	88~96
SL463	4-1/16"~5-1/4"	96~103
SL525	4-11/16"~5-1/4"	103~125
SL550	5-5-1/2"	114~128
SL600	5-5/16"~6-1/6"	130~144
SL675	6-1/8"~6-7/8"	151~165
SL769	6-15/16"~7-5/8"	165~192
SL818	7-11/16"~8-3/16"	195~208
SL875	8-1/4"~8-7/8"	210~225
SL988	8-15/16"~9-7/8"	227~239
SL1125	9-15/16"~11-3/8"	252~289
SL1275	11-3/16"~13"	300~330

STYLE



SPRIAL HOSE CLAMP

SIZE CLAMP RANG LEFT HAND RING HAND

1-1/2"	(38mm-43mm)	SHC150L	SHC150R
2"	(51mm-56mm)	SHC200L	SHC200R
2-1/2"	(64mm-75mm)	SHC250L	SHC250R
3"	(76mm-89mm)	SHC300L	SHC300R
4"	(102mm-120mm)	SHC400L	SHC400R
5"	(127mm-140mm)	SHC500L	SHC500R
6"	(152mm-172mm)	SHC600L	SHC600R
8"	(203mm-215mm)	SHC800L	SHC800R

STYLE



Two Bolt Clamp

SIZE CODE

17-19TBC-17	TBC-17
20-22TBC-20	TBC-20
23-25TBC-23	TBC-26
26-38	TBC-26
29-31	TBC-29
32-35	TBC-32
36-39	TBC-36
40-43	TBC-40
44-47	TBC-44
48-51	TBC-48
52-55	TBC-52
56-59	TBC-56
60-63	TBC-60
64-67	TBC-64
68-73	TBC-68
74-79	TBC-74
80-85	TBC-80
86-91	TBC-86
92-97	TBC-92
98-103	TBC-98
104-112	TBC-104
113-121	TBC-113
122-130	TBC-122
131-139	TBC-131
140-148	TBC-140
149-161	TBC-149
162-174	TBC-162
175-187	TBC-175
188-200	TBC-188
201-213	TBC-201
214-226	TBC-214
227-239	TBC-227
240-252	TBC-240

STYLE



DIN2817 SAFETY CLAMP AL

13*5	4*M6*20
19*6	4*M6*20
25*5	4*M6*20
25*6	4*M6*20
32*5	4*M6*20
32*6	4*M6*20
38*5	4*M6*20
38*6.5	4*M6*20
40*7	4*M6*20
50*6	4*M6*25
50*8	4*M6*25
50*10	4*M6*25
63*6	4*M6*25
63*8	4*M6*25
75*7.5	4*M6*25
75*8	4*M6*25
75*10	4*M6*25
80*8	4*M6*25
90*6.5	4*M6*25
100*8	4*M6*40
100*10	4*M6*40
150*10	4*M6*40

STYLE



GRMAN TYPE WORM DRIVE CLAMP

Surface Treatment
Galvanized Zinc Planting

Material
Galvanized iron or Stainless steel
(W1/W2/W4)

Common Bandwidth
9mm/12mm

Size Rang
8-12 to 210-230

STYLE



AMERICAN TYPE WORM DRIVE CLAMP

Surface Treatment
Galvanized Zinc Planting

Material
Galvanized iron or Stainless steel
(W1/W2/W4)

Common Bandwidth
8mm/12.7mm

Size Rang
8-12 to 140-160

STYLE



DIN2817 SAFETY CLAMP STAINLESS STEEL

19*6	4*M6*20
25*6	4*M6*20
32*6	4*M6*20
38*6.5	4*M6*20
38*8	4*M6*20
50*8	4*M6*25
63*8	4*M6*25
75*8	4*M6*25
100*10	4*M6*40

STYLE



ENGLISH TYPE WORM DRIVE CLAMP

Surface Treatment
Screw Worm drive, Galvanized

Material
Galvanized iron or Stainless steel
(W1/W2/W4)

Common Bandwidth
9.7mm/11.7mm

Size Rang
10-10 to 110-130

STYLE



DOUBLE WIRE HOSE CLAMP

Surface Treatment
Galvanized Zinc Planting or Multicoloured

Material
Galvanized iron

Size Rang
11-14 to 113-120